



MANUFACTURER OF PLASTIC PACKAGING | PACKAGING SYSTEMS SUPPLIER



SPECIALIST IN ENVIRONMENTALLY FRIENDLY PACKAGING

We live  Sustainability.



DIN EN ISO 9001



Sustainability and energy management







## Short portrait

- Medium-sized owner-operated Manufacturer of plastic packaging and Packaging Systems Supplier
- Reliable packaging partner to our customers from industry, services and commerce for more than 50 years
- Most extensive standard range of polyethylene (PE) goods in North Rhine Westphalia; we can often deliver much faster than others
- Responsible management with long-term good relations to customers, employees and suppliers
- Certified quality management system (DIN EN ISO 9001) and production in Germany, South Westphalia
- 2016 New construction of the production and administration site in Iserlohn, warehouse capacity expanded
- Completely modern, fast, flexible machinery for narrow bags to extra-wide hoods
- Extensive range of special films (including VCI, ESD, BIO, pharmaceutical, COEX films etc.)
- Very environmentally oriented, climate-neutral company with climate-neutral products on request (small surcharge)
- We are part of the Alliance for Development and Climate, a broad social alliance for climate protection.



As a specialist in sustainable packaging, we offer products such as premium RECOMPOUND (recycled PE material in very good quality), compostable film (e.g. based on corn or potato starch) or recyclable organic film (sugar cane-based) and all products are climate-neutral on request thanks to CO<sub>2</sub> offsetting.



## Corporate Principles

The needs and requirements of our **customers and our employees** are at the forefront of our activities. We offer our customers an outstanding price-performance ratio as well as excellent service, e.g. through a personal contact person in sales, highly flexible, reliable production options and short delivery times thanks to a very large stock of raw materials.

Our **environmental policy** commits us to measures that go beyond the legal requirements and DIN EN ISO 14001 and 50001. Among other things, as a supporter of the "Alliance for Development and Climate", we are a climate-neutral company, a specialist in environmentally friendly products with a recycling rate of over 90% and offer all products climate-neutrally on request.



The human being



in the center

Ensuring the **quality** of our products and processes is a central element of our corporate policy. The trust of our customers is based on consistently high quality. This is guaranteed by the consistent implementation of the quality management system by all employees. Our quality management system has been certified to DIN EN ISO 9001 for more than 15 years.

As a family business, we are **value-oriented** and socially committed, cooperate with the "Iserlohner Werkstätten" for employees and rely on very long-term, trusting relationships with customers, suppliers and employees. Our guiding principle is the international EU "Guideline for the social responsibility of organizations (DIN ISO 26000)".



## Worth knowing about polyethylene

In the production are used ...

3 times less Carbon monoxide

6 times less Nitric oxide

8 times less Hydrocarbon

13 times less Sulfur dioxide

258 times less Dust

... than for other materials.



## Environmental friendliness and technical properties

- Plastic films made of polyethylene (PE) contain the same basic organic substances as wood and plant fibers, namely only carbon and water.
- PE films burn without residue to form carbon dioxide and water. No toxic vapors or gases are produced, and no slag is formed.
- PE films contain no plasticizers and no heavy metals. They are physiologically harmless.
- The production of PE films produces neither odors nor waste water.
- The use of raw materials, energy consumption during production, water consumption, weight and space requirements at landfills are much lower for PE films than for comparable materials such as wood, paper, corn, etc.
- PE films have high tear and wet strength. PE films are groundwater-neutral in landfills and a welcome energy donor in incinerators.

## Poly-Pack Premium RECOMPOUND



Poly-Pack Premium RECOMPOUND stands for packaging made from high-grade recycled PE film.

It differs strongly from inferior regenerates and is an important building block of our corporate orientation.

By using recycled material, we contribute within our scope to reduce plastic waste in the oceans and to protect the environment.

## Carbon neutral company

The idea of the climate-neutral company: Taking responsibility for the environment, namely for the carbon dioxide (CO<sub>2</sub>) emissions that one causes oneself. These are compensated 100% by a climate protection project.

We have chosen a project in Togo in West Africa, where CO<sub>2</sub> is reduced again by the same amount through the reforestation of trees. In addition, the people there benefit from many social improvements.

more: <https://www.natureoffice.com/en/>







## Overview organic films

### RECOMPOUND

- For packaging that does not have to be food-safe, PE films made from **high-quality recycled material** can be used for film thicknesses (thicknesses) > 50 µ, which differ greatly from low-grade recomponds.
- This recompond material is recycled PE, which is a by-product of film extrusion and is optically indistinguishable from 1A material. It has comparable properties. The German Federal Environmental Agency recommends this solution because the environmental balance is the best.
- The film can be printed with a logo on request, so that you can point out your environmental commitment to your customers.
- We do not charge extra for this material.** Depending on the market situation, it may even be a price advantage.

In our opinion, the combination of recompond material - if applicable - and certified climate neutrality makes the most sense from both a marketing and an environmental point of view. You can highlight both in an effective advertising way with an imprint.

### PE CARBON NEUTRAL

- With this variant, you use "normal" PE film based on fossil raw materials (e.g. recycle). In order to compensate for the climate impact, we make **compensation payments** to your desired climate protection project.
- We offer you a choice of various climate protection projects. You will receive an original certificate for the project of your choice. We ourselves are a CO<sub>2</sub>-neutral company and can deliver all products climate-neutral on request.
- With appropriate purchase quantities, a corresponding logo can be printed on the film to draw your customers' attention to your commitment. Alternatively, we can also supply stickers.
- This will increase your packaging costs by a maximum of 2%.** A small contribution, but one that is good for the environment.

### BIOBASED LD-PE

- If you need LD-PE: We use "OK biobased" with 4 stars **based on sugar cane**, where it is certified that the **organic content is at least 80%** (100% is not technically possible at the moment).
- Here, a waste product is used that is produced anyway during the sugar cane harvest. No additional arable land is required.
- The film is indistinguishable from fossil-based LD-PE and can also be recycled in combination with it in the normal cycle.
- Of course, an appropriate logo can also be applied here.
- However, depending on the market situation, **the additional costs amount to approx. 50 %.**

This material is already widely used by our Dutch neighbors, who are much further ahead than us in Germany when it comes to organic films.

### COMPOSTABLE FILMS

- This is more frequently requested by customers, but in our opinion the least sensible organic variant, is the use of **compostable film based on corn or potato starch.**
- The very fact that these films can only be composted in industrial composting plants and will most likely never be disposed of there casts doubt on the usefulness of this material. Information on the problem of these plastics can be found on the website of the Federal Environment Agency at:  
[www.umweltbundesamt.de](http://www.umweltbundesamt.de).
- Of course, we can still offer you this variant and - in this case - print it accordingly.
- The additional costs amount to approx. 350%,** depending on the current market situation in each case.

This material actually corresponds best to the organic concept, but is still the least environmentally friendly alternative today.



## Product range

### MANUFACTURER OF PLASTIC PACKAGING

#### BAGS AND SACKS

- Flat bags and sacks
- Side gusset bags and sacks
- Adjustment bags
- Tear resistant garbage bags
- Various special bags



#### HOODS

- Shrink hoods
- Cover hoods
- Y-hoods (S-hoods)
- Oversized hoods
- Box hoods




#### SPECIAL FILMS

- VCI products (corrosion protection)
- ESD products (protection against electrostatic discharge)
- Biofilm products
- Stretch, Bubble wrap, Foam (film) products
- Printed items



#### FLAT AND BLOWN FILM

- Side gusseted film
- Flat films / cover films
- Centrefold film
- Sections of PE blown film
- Film sections



### PACKAGING SYSTEMS SUPPLIER

#### STRETCH FILM

- Hand stretch film
- Machine stretch film
- Equipment and accessories



#### AIR CUSHION / FOAM FOLIEN products

- Packaging products from foam film
- Bubble wrap packaging products



#### CARDBOARD PACKAGING

- Cardboard boxes (standard/special sizes)
- Corrugated cardboard products
- Octabins
- Containers (PC)
- Filling, cushioning and fixing materials



#### OTHER PACKAGING PRODUCTS

- Strapping tapes
- Adhesive and packing tapes
- Sealing systems
- Welding equipment
- Industrial hygiene articles
- Protective masks and face shields
- Pallets



All products climate neutral on request

All products climate neutral on request



All products climate neutral on request

All products climate neutral on request

**A**

- Adhesive closure bags
- Adhesion flap bags
- Adhesive-lock bags Adhesive tapes
- Adhesive rolls
- Air cushion bags
- Air bubble films
- Antibacterial film products
- Anti-slip products (with GUR)
- Antistatic products (ESD special film)
- Antistatic products (antistatic agent)

**B**

- Bags
- Bags on roll (tear-off bags)
- Barrier film products (COEX)
- Blanks (foil blanks)
- Block bags
- Block bottom bags
- Bottom gusset bags
- Box covers
- Box covers (gusseted bags)
- Box inserts (inlays)
- Bread bags
- Bubble bags

**C**

- Cardboard boxes
- Chemicals bags
- Cleaning paper / wiping cloth - rolls
- Composite films (COEX)
- Closure bags
- COEX (multilayer) film products
- Colored products (opaque = opaque)  
dto. (translucent = not opaque)
- Compostable film products
- Construction films (cover films)
- Corrosion protection products (VCI)
- Corrugated Cardboard Products
- Corrugated cardboard bags
- Cover foils
- Cover tarpaulins
- Cross bottom bags and sacks

**D**

- Dental bags (pressure seal bags)
- Dispenser systems for hygiene articles
- Double bottom seam products
- Double chamber bags
- Drawstring bags
- Drills for eyelet wires

**E**

- ECO films (BIO)
- Eurohole bags (sealing bags)
- ESD bags (special antistatic bags)
- Eyelet wires

**F**

- FFP2 masks
- Fillers
- Film blanks (cuttings)
- Fixing materials
- Flat bags and sacks
- Flat films
- Flap bags
- Foam (film) products
- Food safe products

**G**

- Garbage bags (standard: blue opaque)
- Grip-hole bags

**H**

- Hand shrink equipment
- Hand stretch film
- Hand washing pastes / liquid soaps
- HDPE products (high density PE \*)
- Header bags
- Hygiene products / dispenser systems

**I / J**

- Impulse tong welders
- Inlays (for lattice boxes /other containers)

**K**

- Kangaroo bags (dental bags)
- KLT outer and inner packages
- Kitchen rolls

**L**

- LDPE products (low density PE \*)
- Liquid soaps / hand washing pastes

**M**

- Machine stretch film
- MDPE products (medium density PE \*)
- Multi-chamber bags
- Multilayer film products (COEX)
- Mouth-nose protection

**N**

- Needled (needle perforated) products
- Narrow bags
- Narrow foils

**O**

- Octabins (octagonal containers/cartons)
- Organic film products (BIO / ECO)
- OR masks
- Other load carriers
- Other packaging
- Oversized bags and hoods

**P**

- Packing Tapes
- Pallets
- Paper folded towels
- Perforated products (on roll or needle perforated)
- Pharmaceutical products (especially high requirements of the pharmaceutical industry)

- Pedal bin bags
- Polyethylene (PE) products
- Polypropylene (PP) products
- Printed articles
- Pressure seal bags

**Q**

- Quick binders (plastic)

**R**

- Round bottom bag
- Recyclable bags
- Reclosable bags (sliding closure bags)
- Release liner products (COEX)

**S**

- Sections (of PE tubular films)
- Semi-tubular films
- Shrink hoods
- Shrink tubular films
- slide closure bags
- Soaps / liquid / hand washing pastes
- Side gusset bags and sacks
- Side gusset films
- S-hoods (Y-hoods)
- Sealed edge bags (vacuum bags)
- Slide closure bags (dental bags)
- Special film products
- Stretch film / stretch film products
- Strapping tapes

**T**

- Tear-off bags (bags on roll)
- Toilet paper
- Towel / wipe / universal rolls
- Transparent products (standard; except for garbage bags)
- Tubular film
- Tubular film sections (cuttings)

**U**

- Upholstery fabrics
- UV-absorbing articles (with UV-protection of the packaged goods)
- UV-stable products (with UV stabilizer)

**V**

- Vacuum bags (sealed edge bags)
- VCI (corrosion protection) products
- Valve bags
- Vending machine bags
- Vending machine films
- Visors (for protection against viruses)

**W**

- Waste bags#
- Wipes / Hygiene wipes

**X/Y/Z**

- Y-hoods (S-hoods)
- ziplock bag

Product overview A – Z





### Products: Standard and special requirements

Every customer has very specific requirements, including in terms of width and length dimensions, film thickness and properties that the film should have. Our strength lies in responding to these requirements with our flexible, modern machinery.

- We **mainly** manufacture from environmentally friendly and recyclable polyethylene (PE) - as LD-PE, HD-PE or MD-PE, depending on requirements - but we can also produce or supply products made from other materials.
- As **standard**, our film products are supplied in a transparent, easy-glide and unprinted version.
- Of course, you can also order the products in various **special versions**, e.g:
  - food-safe (suitable for direct food contact) or pharmaceutical quality (special requirements such as BRC certification, lubricants, etc.)
  - opaque (opaque) or translucent (non-opaque), dyed in the color of your choice
  - printed, perforated or needled
  - with additives / special features such as VCI (corrosion inhibitor), ESD (special antistatic agent to protect against electrostatic charge/discharge), antistatic agent (normal), anti-slip agent (GUR), UV protection (UV stabilizers or UV blockers to protect against solar radiation), vegetable-based lubricant, additive to protect against scratches on plastic surfaces, etc.
- **Printing:** Simple printing up to 10-color photo print quality

More and more customers require special, simpler prints that go beyond a normal RC/resy mark or the "Green Dot", such as warning notices, company logos, climate-neutral logos, ESD marks, Interseroh marks, consecutive numbering or Triman logos for disposal in France or Italy.

We have also invested in a highly flexible printing unit, which is used on all machines for the production of film packaging. With a very good print image and 4 variably adjustable print heads, placed printing with high repeat accuracy is possible at low cost. Connecting the new printing unit to another machine takes just under half as long as before. Operation by our employees is uncomplicated and very

All products climate neutral on request

All products climate neutral on request





Foil packaging: Bags and sacks (selection)

Flat bags and flat sacks



For almost all products and application areas

Width: from 100 to 1500 mm  
Length: from 150 to 4000 mm  
Thickness: from 0.03 to 0.25 mm

Side gusseted bags and sacks



e. g. as inlay or as outer packaging for lattice boxes, crates or for KLT containers (dimensions see right)

Width: from 200 to 4000 mm Length: from 200 to 4000 mm Thickness: from 0.03 to 0.25 mm

Nummer	Nennmaße (mm)
R-KLT 6429 / RL-KLT 6280	600×400×280
R-KLT 6415 / RL-KLT 6147	600×400×147
R-KLT 4329 / RL-KLT 4280	400×300×280
R-KLT 4315 / RL-KLT 4147	400×300×147
R-KLT 3215 / RL-KLT 3147	300×200×147

Ziplock bags



e. g. for spare parts, laboratory and health care items, for stock items as well as for police evidence

width: from 40 to 400 mm  
length: from 60 to 600 mm  
thickness: 0,05 mm / 0,09 mm

Müllsäcke Waste bags



for recyclables, waste and for other purposes; - usually perforated on roll

width: from 480 to 800 mm  
length: from 500 to 1100 mm  
thickness: from 0,05 to 0,20 mm

Adhäsionsverschluss-Beutel



Resealable bags with adhesion or sliding closure or sliding closure; e.g. for stock items

Dimensions on request

Drawstring bags



for recyclables, waste and for other purposes

width: from 480 to 800 mm  
length: from 500 to 1100 mm  
thickness: from 0,05 to 0,20 mm

All products climate neutral on request

All products climate neutral on request



Foil packaging: Bags for special products (selection)

Cross bottom bags und -Säcke



e. g. for filling, storage and transport of foodstuffs and luxury foodstuffs such as tea, coffee, spices, baked goods and for finely ground products of all kinds (also available in polypropylene PP available)

Dimensions on request

Blocked bags



Bag with tear-off perforation: Welded together at top edge; attachable to holder through holes in block strip and easily torn off individually

Various designs and Dimensions on request

Round bottom bags



e. g. for filling, storage and transport of liquid or powdery products

Dimensions on request

Handle hole bags



Bags with handle hole punching: Small bags as carrier bags for various products

Various designs and Dimensions on request

Flap bags



e.g. as a mailing bag for documents, brochures or small textiles;

optionally resealable with adhesive closure

Dimensions on request

Sealed rim pouch



Vacuum bag with chamber(s): e.g. for food and for pharmaceutical / technical articles, chemicals or liquids (with inclined insert); high mechanical strength

Various designs and Dimensions on request

All products climate neutral on request

All products climate neutral on request





Foil packaging: Hoods (selection)

Shrink hoods



**PE (Polyethylene) shrink hoods (from shrink film)**

e.g. as transport protection for EURO-, Chemistry- and other pallets

width: from 1000 to 3000 mm  
length: from 500 to 4000 mm  
thickness: from 0,10 to 0,25 mm

Other dimensions on request

Cover hoods / side gusseted sacks



**Oversized PE hoods (with or without shrinkage values)**

e.g. as transport protection or covering of particularly large goods or containers

width: from 1000 to 3000 mm  
length: from 500 to 4000 mm  
Thickness: from 0.10 to 0.25 mm

Other dimensions on request

Nummer	Nennmaße (mm)
R-KLT 6429 / RL-KLT 6280	600×400×280
R-KLT 6415 / RL-KLT 6147	600×400×147
R-KLT 4329 / RL-KLT 4280	400×300×280
R-KLT 4315 / RL-KLT 4147	400×300×147
R-KLT 3215 / RL-KLT 3147	300×200×147

Y-Hoods / S-Hoods



**PE- Y-Hoods / PE- S-Hoods (from shrink film)**

e.g. for better adaptation the shape of individual packaging material

width: from 1000 to 3000 mm  
length: from 500 to 4000 mm  
Thickness: from 0.10 to 0.25 mm

Other dimensions on request

Oversized hoods



**PE covers (made of gusseted film without shrinkage values); e.g. as dust protection for EURO-, Chemistry- and other pallets as well as for larger containers**

width: from 1000 to 3000 mm  
length: from 500 to 4000 mm  
thickness: from 0,03 to 0,25 mm

e.g. as outer packaging for KLT (dimensions see right):

Other dimensions on request

**Or as box hoods**

individually according to your requirements also available in oversizes up to 11 meters

From 30 µ to 250 µ.

Any design, top straight, slanted, as box or trapezoidal shape, is possible.

All products climate neutral on request

All products climate neutral on request



Foil packaging: Foils, blanks, cuttings (selection)



Blown film

PE film on roll, 2-ply as flexible packaging, (for shrink lines or for further processing on packaging machines)

width: 40 to 3000 mm  
thickness: 0,03 to 0,25 mm



Tubular film sections

Pieces cut from PE tubular film rolls, 2-ply, (especially for packaging open at the top and bottom as product protection)


width: 40 to 3000 mm  
thickness: 0,03 to 0,25 mm



Flat film / Covering foil

e.g. as cover film in industry, storage or construction industry -> ideal also for processing on packaging machines

width: from 1,50 m - 6 m  
50 rm. / 100 rm. on the roll



Semi-tubular film

PE film on roll, 2-ply (Seam only on one side; as flexible packaging or for various other purposes)

width: 40 to 3000 mm  
thickness: 0,03 to 0,25 mm



Foil blanks

Cut pieces of PE flat film with 4 straight edges without seam, 1-ply ; (e.g. as inlay for grid boxes or as pallet bottom)

width: 100 to 6000 mm  
length: 150 to 5000 mm  
thickness: 0,03 to 0,25 mm



Shrink film

PE tubular film with shrink values, on roll, 2-ply (as flexible packaging or for further processing on packaging machines).

width: 40 to 3000 mm  
thickness: 0,03 to 0,25 mm



Side gusseted foil

PE film with side gussets on roll, 2-ply, e.g. with shrink values (for shrink lines or for further processing to cover hoods on packaging machines)

width: 40 to 3000 mm  
thickness: 0,03 to 0,25 mm

All products climate neutral on request


All products climate neutral on request





## Film packaging: Stretch film (overview)

### Hand stretch film




- Cheap, simple and fast pallet securing
- Suitable for all pallets
- Pre-expansion on the product (little effort necessary and material saving possible)
- Protection of the product against dirt, dust and moisture
- High elongation at break
- Reading of barcodes possible
- Good quality, very good price

Foil width: 500 mm  
 Thicknesses: 17 my | 20 my | 23 my  
 Pre-stretch: 150  
 Core: 530 mm  
 Core inner Ø: 50 mm  
 Core weight: 2,10 - 3,15 kg  
 Roll weight: 1,75 - 3,15 kg (gross with core)

Colors: Transparent (standard)  
 - also black, white or blue

Various designs on request

### Machines stretch film



- Economical and fast Pallet securing
- Suitable for all common stretch devices / machines
- Pre-stretching on the product (little effort necessary and material saving possible)
- Protection of the product against dirt, dust and moisture
- High elongation at break
- Good quality, very good price

Film width: 500 mm  
 Thicknesses: 17 - 35 my  
 Pre-stretch: 150 % | 220 % | 230 %  
 Core: 510 mm  
 Core inner Ø: 76 mm  
 Core weight: 1,6 kg  
 Roll weight: 16 - 17,5 kg (gross with core)

Colors: Transparent (standard)  
 - also black, white or blue

Various designs on request

All products climate neutral on request

All products climate neutral on request



Foil packaging: Foam film or bubble wrap products (overview)



Foam Foil Products

- As product protection or cushioning material
  - Various plastics possible, such as among others PE, PP, PET
  - Available with additives, such as antistatic, ESD, VCI
  - Colors: Transparent (standard)
- Products: e.g. as
- Foam tubular film on roll
  - Foam tubular film round
  - Foam bags
  - Foam film blanks
  - Foam sliding boxes
  - Rigid foam blanks

Various designs on request



Air cushion film products

- As product protection or cushioning material
  - Made of PE layers, cover film and Air cushion layer
  - Available with additives, such as antistatic, ESD, VCI
  - Colors: Transparent (standard)  
- also available in white
  - 2 or 3 ply, different naps
- Products: e.g. as
- Air bubble tubular film on roll
  - Bubble wrap bags (if necessary with SK-closure)
  - air bubble film bags
  - Bubble wrap mailing bags
  - Air bubble film blanks (if necessary with additives like VCI)
  - Air bubble film flap bags

Various designs on request

All products climate neutral on request

All products climate neutral on request





Foil packaging: Products from special films (selection)

VCI products (corrosion protection)



- Bags, sacks, hoods
  - Tubular film / flat film
  - Bubble film or foam film products
  - Blanks, flat wrappings
- For protection against corrosion**
- Various designs and dimensions on request

ESD products



- Bags, sacks, hoods etc.
  - Foil
- For protection against electrostatic charging or discharging**  
(simple protection to extremely conductive foil)
- Various designs and dimensions on request

Organic film products



- Bags, sacks, shrink or cover hoods
  - Tubular / flat film
  - Biodegradable / from renewable raw materials
- Various designs and dimensions on request

Coextrusion products



- Bags, sacks, foil etc.
  - Products made of films, which consist of several layers and therefore **combine different positive properties**
- Various designs and dimensions on request

For special requirements



- Bags, sacks, film etc.
  - a. o. special products for the requirements of the **pharmaceutical industry**
  - a. o. extremely conductive ESD film products
- Various designs and dimensions on request

Printed articles



- All foil packagings are available on request in printed version.**
- Simple printing up to 10-color photo print quality
- Dimensions as for products without print

All products climate neutral on request

All products climate neutral on request



Other packaging and products (selection)

Cardboard boxes and corrugated products



System cartons, containers, Octabins, corrugated cardboard inverted lids folding boxes etc.

Various designs and dimensions on request

Adhesive tapes



Printed / colored / simple adhesive tape made of various materials (depending on intended use)

Various designs and dimensions on request

Filling, cushioning and fixation materials



Surface / edge protection:  
Packing chips, loose filling material, air cushions, bubble wrap, paper and cardboard pads, air chamber mats and protective pads

Various designs on request

Packing tapes



Printed / colored / plain packing tapes made of different materials (depending on the application) as well as corresponding dispensers

Various designs and dimensions on request

Closure systems



For bundling, securing and sealing your goods  
- Rubber bands  
- Cable ties  
- Closing wires  
- Plastic quick ties

Various designs on request

All products climate neutral on request

All products climate neutral on request







### Other packaging and products: Strapping (overview)

#### PP-(polypropylene) strapping




#### For light packaged goods (packages)

- Cost effective and fast
- Package securing
- High sealing strength
- Versatility (many widths, thicknesses, tearing forces possible)
- Environmentally friendly (plastic instead of textile or steel),
- 100% recyclable
- Suitable for all common strapping devices and machines
- Good quality, very good prices

Tape width: 5 / 8 / 9 / 12 / 15 / 16 / 19 mm  
 Thicknesses: 0.35 - 1.0 mm  
 Strength: good elasticity, split and splice resistance  
 Core: 406 / 392 / 280 / 200 / 150 / 62 mm  
 Colors: black or white  
 - also available in colors (blue, red, yellow)  
 Tear strength: breaking load: (60-450 kg)  
 Embossing: smooth or embossed available

Various designs and prices on request

#### PET-(Polyethylene terephthalate) strapping



#### For medium and heavy packaged goods -

- Cost-effective and fast
- securing of packaged goods
- High seal strength- Versatility (many widths, thicknesses, tear forces possible)
- Environmentally friendly (plastic instead of textile or steel),
- 100% recyclable
- Suitable for all standard strapping devices and machines
- Good quality, very good prices

Tape width: 9 / 11 / 12 / 13 / 15 / 16 / 19 / 25 / 32 mm \*  
 Thicknesses: 0,4 - 1,52 mm  
 Strength: good elasticity, split and splice resistance.  
 Core: 406 mm  
 Colors: green (standard)  
 - also available in colors (blue, red, others on request)  
 Tear strength: breaking load: (150-1,830 kg)  
 Embossing: smooth or embossed available  
 "Jumbo rolls" for bulk users: 1,100 mm | 66,000 m

Various designs and prices on request

All products climate neutral on request

All products climate neutral on request



Devices / Other products (selection)

Hand shrinkers



e.g. model :  
High quality and particularly safe due to cold nozzle system and safety system  
light and ergonomic  
maintenance is guaranteed

e.g. model :  
Double safety gas pressure valve and self-cleaning safety valve system  
- Favorable price / gas consumption

Hose Trolley for Hand Shrinkers



- Mobile shrink unit
- Gas cylinder trolley for 13 or 33 kg
- Easy and comfortable transport
- Flexible or swiveling mast (depending on model)
- Long life and comfortable use
- Compliance with insurance-technical regulations

Various models on request

Impulse tong welder



e. g. model :  
- safe and reliable  
- Pulse heating

infinitely variable for different film types and thicknesses

Models on request

Drilling equipment for eyelet wires



e.g.

Models on request

Eyelet Wires and Bag Closures



- soft annealed
- Iron wires
- reddish bright or galvanized stainless steel wires

Various designs on request

All products climate neutral on request

All products climate neutral on request





Industrial hygiene articles (selection)

Folded towels / dispenser



low lint and firm  
pleasantly soft  
very good moisture  
absorption  
with suitable  
dispenser systems  
versions on request

Towel rolls (inside unwinding) / dispenser



- multifunctional  
wipes/towels
  - suitable for short contact  
with food
  - Suitable dispenser
- Designs on request

Blue/white cleaning paper rolls / dispenser



extreme wet and  
abrasion resistance;  
durable  
optimal cleaning  
with suitable  
dispenser systems  
versions on request

Quality liquid soaps / dispenser



- favorable from vegetable  
raw materials or
  - hygienic soap against  
germs
- with suitable dispenser  
systems
- Versions on request

Quality toilet paper / dispenser



very economical;  
pleasant  
made of cellulose or  
recycled paper  
with suitable  
dispenser systems  
versions on request

Ab jetzt ist  
mehr für Sie drin.



All products climate neutral on request

All products climate neutral on request



We have designed these **10 industry solutions** specifically for customers from these sectors in order to meet their requirements precisely and offer them the best products, optimum service and excellent value for money.



VCI Poly-Pack | „CORROSION PROTECTION“: Protect metal products from corrosion: STEEL, IRON AND NON-FERROUS METAL PRODUCTS, METAL PRODUCTS



ESD Poly-Pack | „ELECTRONICS SECURITY“: Protect electronic products from electrical charging / discharging: ELECTRICAL ENGINEERING, IT sector, AUTOMOTIVE, CHEMICALS



„HEALTH CARE“ | Protection of life, implementation of the special requirements for FOOD AND FOODSTUFFS and CHEMICAL/PHARMACEUTICAL/COSMETIC PRODUCTS



„SMART SUSTAINABILITY“ | Being a pioneer for the environment ENERGY INDUSTRY, ENVIRONMENTAL ENGINEERING, PUBLIC ADMINISTRATION; MARKETING and more.



„LARGE PACKAGING“ | Sacks and hoods: PLASTICS INDUSTRY, RUBBER GOODS AND TIRES, AUTOMOTIVE, ELECTRICAL ENGINEERING, SERVICES, TRADE and more



„SMALL PACKAGING“ | Bags: ADVERTISING INDUSTRY, FOOD AND ANIMAL FEED, CHEMICALS / PHARMACEUTICALS / COSMETICS, PLASTICS, AUTOMOTIVE, TRADE



„SHRINK FAST“ by Poly-Pack | If it also has to be good for packaging: SHRINKING HOODS and SHRINKING FOIL for CONSTRUCTION, TRADE and INDUSTRY



„BE FLEXIBLE“ – Do It Yourself | POLY-PACK Flexible use of Blown film: MECHANICAL ENGINEERING, STEEL, FERROUS + NON-FERROUS METAL PRODUCTION, CONSTRUCTION



„PROTECTIVE SHEET“ | Poly-Pack Flat film / Covering foil: PLASTICS AND PLASTICS PROCESSING, METAL PRODUCTION, METAL PRODUCTS, CONSTRUCTION and more



„STRETCH SAFE“ | Perfect load securing of POLY-PACK: PACKAGING TRADE, LOGISTICS, SHIPPING AND STORAGE, PAPER AND PRINTING, FOOD AND FOODSTUFFS and more

For over 50 years, we have been a reliable packaging partner for our customers in industry, services and trade. That is why our long-standing regular customers include many well-known medium-sized companies and international corporations from a wide range of sectors, such as the food industry, chemical / pharmaceutical / cosmetics industry, mechanical engineering, electrical and automotive industries. Energy and waste disposal companies, leading packaging distributors as well as public authorities, municipal administrations, hospitals and departments of universities and technical colleges also regularly purchase our products.





## Poly-Pack Sales Team



Jana Schmitt | 02371 / 93-98 - 28  
jana.schmitt@poly-pack.de



Tim Sturm | 02371 / 93-98 - 11  
tim.sturm@poly-pack.de



Nicole Schiedewitz | 02371 / 93-98 - 27  
nicole.schiedewitz@poly-pack.de



Henri Passia | 02371 / 93-98 - 26  
henri.passia@poly-pack.de



Tanja Gutsche | 02371 / 93-98 - 23  
Tanja.gutsche@poly-pack.de

Your personal contact persons



Press Release Poly-Pack | November 2022\_Alliance for Development and Climate\_Project TOGO

**Packaging manufacturer Poly-Pack supports Alliance for Development and Climate**

For Poly-Pack, the manufacturer of film packaging, protecting the environment is not only a central concern. One also does everything humanly possible for it. This has not gone unnoticed. The packaging company was recently contacted by the Alliance for Development and Climate, an initiative of the German Federal Ministry for Economic Cooperation and Development (BMZ). Since the fall of 2018, this alliance has been pursuing the goal of linking development cooperation and international climate protection via the instrument of voluntary greenhouse gas offsetting and mobilizing additional funds for the financing of important development and climate protection projects in developing and emerging countries. Poly-Pack's 100% climate neutrality, its environmental orientation and its commitment to the TOGO project were convincing, so that the company is now listed among the supporters of the alliance, which includes numerous renowned companies and non-governmental organizations.

Project TOGO is one of 5 nominated projects for the German Sustainability Award 2023. Poly-Pack supports the project TOGO of the NGO partner natureOffice on the "forgotten continent" Africa since 2020, when this climate protection project was presented to the company. "Project TOGO" meets 12 of the 17 GLOBAL GOALS of the UN Agenda 2030, and is "Gold Standard" certified, making it extremely effective and trustworthy. More than 1.5 million native trees have been planted since the project started in 2010. Natural forest reforestation is considered the most effective method of climate protection. Behind the project is natureOffice's vision of combining climate protection with the improvement of social structures. In close cooperation with the local population and with the support of companies such as Poly-Pack, many sustainable improvements have been achieved and many jobs created.

Poly-Pack already offers its customers all products on request 100% climate neutral. The customers can choose from different national and international climate protection projects and thus compensate their caused CO2 emissions. Poly-Pack has been using very good recycled material in film processing for decades. The rate is constantly above 90%. Large companies are only gradually switching to this material, which is very environmentally friendly and is recommended by the German Federal Environment Agency. Visually, it can hardly be distinguished from virgin material (< 10% share at Poly-Pack) and can be used very well - except for contact with food or feed and for special requirements of the pharmaceutical industry, where virgin material is mandatory. Poly-Pack also offers various organic films. (More at: [www.poly-pack.de/Sustainability](http://www.poly-pack.de/Sustainability))



The Alliance for Development and Climate is an initiative of the German Federal Ministry for Economic Cooperation and Development (BMZ).

The climate protection project supported by Poly-Pack, TOGO is one of 5 projects nominated for the German Sustainability Award 2023.



Poly-Pack Verpackungs-GmbH & Co. KG  
 Zollhausstr. 7 | D-58640 Iserlohn  
 Fon: +49 2371 9398-22 | Fax: +49 2371 9398-44  
 Internet: <http://www.poly-pack.de>  
 Ansprechpartner: Markus Lennhoff (Prokurist)  
 E-Mail: [markus.lennhoff@poly-pack.de](mailto:markus.lennhoff@poly-pack.de)

USt.-ID-Nr.: DE272 197 795  
 Geschäftsführer: Achim Schmitt  
 Sitz & Registergericht:  
 Iserlohn / Amtsgericht Iserlohn  
 HRA4630



**News**

Poly-Pack supporter of the Alliance for Development and Climate

Poly-Pack again 100% climate-neutral company in 2022

Poly-Pack VCI - Packaging for corrosion protection

HACCP concept - Poly-Pack implements HACCP concept in July 2022

Industry concepts - Poly-Pack with special industry offers

3. driving safety training - protecting employees can be fun

Poly-Pack is a specialist for environmentally friendly packaging

Cover story "TOP-Performer" in the Südwestfalen-Manager

Poly-Pack cooperates with the Iserlohner Werkstätten

Poly-Pack - New production and administration site since April 2016





1 Press release Poly-Pack | May 2022\_Environmental protection

**Packaging manufacturer Poly-Pack 100 % climate-neutral company**

For film packaging manufacturer Poly-Pack, protecting the environment is not only an extremely important concern. Poly-Pack also does everything humanly possible for it. Among other things, it was again able to achieve 100% climate neutrality in 2021. The ratio of recycled material in film processing also remained constant at well over 90%.



Since the start of the project in Togo in 2010, more than 1.5 million native trees have been planted.

Poly-Pack has supported the TOGO project of NGO partner natureOffice on the "forgotten continent" of Africa since 2020, when this climate protection project was presented to the company. "Project TOGO" meets 12 of the 17 GLOBAL GOALS of the UN Agenda 2030, and is "Gold Standard" certified, making it extremely effective and trustworthy. More than 1.5 million native trees have been planted since the project was launched in 2010. Behind the project is NatureOffice's vision to combine climate protection with the improvement of social structures. In close cooperation with the local population and with the support of companies such as Poly-Pack, many sustainable improvements have been achieved and many jobs created. Natural forest reforestation is considered the most effective method of climate protection. Poly-Pack already offers its customers all products 100% climate neutral. Customers can choose from various national and international climate protection projects to compensate for their CO2 emissions.

Poly-Pack has been using very good recycled material in film processing for decades. The rate is consistently over 90%. Large companies such as Coca Cola are only gradually switching to this material, which is extremely environmentally friendly and is therefore recommended by the German Federal Environment Agency. Visually, it is almost indistinguishable from virgin material (< 10% share at Poly-Pack) and can be used without any problems and very well - except for contact with food or feed and for special requirements of the pharmaceutical industry, where virgin material is mandatory. Poly-Pack also offers various organic films. An environmentally friendly and economically interesting alternative to polyethylene made from fossil fuels is "OK biobased" with 4 stars, based on sugar cane, with a bio-content of 80% (100% is not yet technically possible). Here, a waste product is used that is produced anyway during the sugar cane harvest. Thus, no additional arable land is required, which displaces food land. The bio-film is indistinguishable from fossil-based LD-PE and can also be recycled in combination with the latter in the normal cycle. (More at: [www.poly-pack.de/sustainability](http://www.poly-pack.de/sustainability))



Überarbeiteter Internet-Auftritt    Großes Rohstofflager – schnelle Lieferzeit    Produktion am Standort Iserlohn

2 Pressemitteilung Poly-Pack | Mai 2022\_ Umweltschutz

Poly-Pack Verpackungs-GmbH & Co. KG  
 Zollhausstr. 7 | D-58640 Iserlohn  
 Fon: +49 2371 9398-22 | Fax: +49 2371 9398-44  
 Internet: <http://www.poly-pack.de>  
 Ansprechpartner: Markus Lennhoff (Prüfung) | E-Mail: [markus.lennhoff@poly-pack.de](mailto:markus.lennhoff@poly-pack.de)

USt-ID-Nr.: DE272 197 795  
 Geschäftsführer: Achim Schmitt  
 Sitz & Registergericht: Iserlohn / Amtsgericht Iserlohn HRA4630

**URKUNDE**  
 natureOffice  
 Poly-Pack Verpackungs-GmbH & Co. KG  
 100% Klimaneutralität  
 2021

**klimateutral Unternehmen**  
 natureOffice.com | DE-077-559327

**SAVING RESOURCES**  
 RECYCLE  
 RECOMPOUND

**klimateutral Produkt**  
 natureOffice.com | DE-077-559327



**News**

- Poly-Pack supporter of the Alliance for Development and Climate
- Poly-Pack again 100% climate-neutral company in 2022
- Poly-Pack VCI - Packaging for corrosion protection
- HACCP concept - Poly-Pack implements HACCP concept in July 2022
- Industry concepts - Poly-Pack with special industry offers
- 3. driving safety training - protecting employees can be fun
- Poly-Pack is a specialist for environmentally friendly packaging
- Cover story "TOP-Performer" in the Südwestfalen-Manager
- Poly-Pack cooperates with the Iserlohner Werkstätten
- Poly-Pack - New production and administration site since April 2016

